



A World of Difference.

Kirby Thermal Window Systems for Metal Buildings

Kirby Building Systems offers a thermal aluminum window designed specifically for the metal building industry. The Kirby thermal window features a thermal-break frame and insulated glass to provide the energy efficiencies needed for extreme temperature conditions. This thermal window is self-framing and self-flashing to simplify the installation process. Kirby preassembled windows are factory-mounted in a steel subframe for added strength, rigidity, and installation benefits.

- *Thermal-break, aluminum main frame*
- *Assembled in a factory controlled environment*
- *5/8" clear, insulated glass*
- *Self-flashing and self-framing*
- *Standard steel subframe - 16 guage*
- *Made to specific requirements of each job*
- *Custom sizes and styles*
- *Easy to install*
- *Energy efficient*



Products
manufactured by



a **NUCOR** company

P.O. Box 390 • 124 Kirby Dr.
Portland, TN 37148

615-325-4165 • Fax: 800-348-7799

www.kirbybuildingsystems.com


The Kirby Difference

Kirby Thermal Window Systems

- Baked-on enamel finish (white and bronze)
- Anodized finish available (clear and dark bronze)
- Many glazing options (Tinted, Low E, Tempered, Obscure, etc)
- Factory-applied head, sill, and fins




Head Channel




The Head Channel is designed to eliminate water infiltration. Extra width allows for easy installation and access for caulking.

Sill Channel with Hinged Leg




The Sill Channel has a unique hinged inside leg for easy retrofit installation as demonstrated.

Universal Jamb Fin



The Universal jamb fin allows the window unit to be installed anywhere along the wall panel. There is no need to be located on the 12" centers.



Kirby preassembled windows include a steel subframe system which provides structural strength and rigidity. It is designed to match the girt depth in order to provide a finished edge for liner panel or drywall type construction. The window unit is factory-mounted in the preassembled steel subframing. The window in the steel subframe with the universal trim fin allows the window to be set anywhere along the wall panel. It provides a unique level of flexibility and simplifies the installation process.



P.O. Box 390 • 124 Kirby Dr.
Portland, TN 37148
615-325-4165 • Fax: 800-348-7799
www.kirbybuildingsystems.com